



This safety data sheet complies with the requirements of: OSHA Hazard Communication Standard (29 CFR 1910.1200)

Product Name: Idemitsu CVTF Type H2 Product Code: TEMP 277

Revision Date: 23-Oct-2020 Revision Number: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING				
1.1 Product identifier				
Product Name:	Idemitsu CVTF Type H2			
Other means of identification				
Product Code:	TEMP 277			
1.2 Recommended use of the chemical and restrictions on use				
Recommended Use:	Lubricant			
1.3 Details of the supplier of the safety data sheet				
Manufactured by:	Idemitsu Lubricants America Corporation 701 Port Rd., Jeffersonville, IN. 47130 Telephone: 1-(812) 284-3300 Business hours: 8am-4:30pm est Email: sds@ilacorp.com			
24 Hour Emergency Phone Number:	Within USA and Canada: 1 800-424-9300 Outside USA and Canada: + 1 703-741-5970 (collect calls accepted)			

2. HAZARDS IDENTIFICATION

2.1 Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

2.2 Label elements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC)

Not applicable

2.3 Other information

Other hazards

May be harmful if swallowed Harmful to aquatic life Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixture

Non-Hazardous Components

Chemical name	CAS-No	weight-%
Lubricating Base Stocks	Mixture	80-90

4. FIRST AID MEASURES

4.1 First Aid Measures

General Advice	If symptoms persist, call a physician. Take a copy of the Safety Data Sheet when going for medical treatment.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists: Get medical advice or attention.
Inhalation	Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a physician immediately.
Ingestion	Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty lean forward to reduce the risk of aspiration. If symptoms persist, call a physician.
Protection of First-aiders	Use personal protective equipment. Avoid contact with eyes, skin and clothing.

4.2 Most important symptoms and effects, both acute and delayed See Section 11 for additional Toxicological information. Symptoms 4.3 Indication of any immediate medical attention and special treatment needed Notes to Physician Treat symptomatically. **FIRE-FIGHTING MEASURES Flammable Properties** NFPA: Class IIIB Combustible Liquid 5.1 Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment **Unsuitable Extinguishing Media:** Do not use a solid water stream as it may scatter and spread fire. 5.2 Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources of ignition. During a fire, smoke may contain the original material in addition Hazardous combustion products to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to: Carbon oxides Sulphur oxides Oxides of Phosphorus Nitrogen oxides (NOx) Metal Oxides As in any fire, wear self-contained breathing apparatus 5.3 Protective Equipment and Precautions for Firefighters: pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists. Use personal protection recommended in Section 8. Ensure adequate ventilation. Remove all sources of ignition.	
6.2. Environmental precautions		
Environmental Precautions	See section 12 for additional ecological information. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow into any sewer, on the ground or into any body of water. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.	
6.3 Methods and material for containment and cleaning up		
Methods for Clean-up	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).	
Spill Management		
LARGE SPILLS	Eliminate sources of ignition. Prevent additional discharge of material if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement	

	cleanup procedures and, if in public area, keep public away and advise authorities.		
WATER SPILLS	Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.		
7. HANDLING AND STO	DRAGE		
7.1. Precautions for safe han	<u>idling</u>		
Handling	Do not breathe vapors, spray, or mist. Avoid contact with eyes, skin and clothing. Use personal protection recommended in the SDS. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Should not be released into the environment.		
Safe Handling Advice	Handle in accordance with good industrial hygiene and safety practices. Take precautionary measures against static discharges.		
7.2. Conditions for safe stora	age, including any incompatibilities		
Storage	Keep in properly labeled containers. Keep container tightly closed		

Technical measures/Precautions

Ensure adequate ventilation.

in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines

Chemical name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m ³	TWA: 5 mg/m ³		TWA 5 mg/m ³ ST 10 mg/m ³			

8.2 Exposure controls

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal Protective Equipment

Eye/face protection	Safety glasses equipped with side shields are recommended as minimum protection in industrial settings.
Skin protection	Choose the appropriate protective clothing and gloves based on the tasks being performed to avoid exposed skin surfaces. Glove Type: Neoprene, Nitriles
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Clean equipment, work area and clothing regularly.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance **Physical state** Odor **Odor Threshold** pН Melting point / melting range Boiling point / boiling range Flash Point **Evaporation Rate** Flammability Limit in Air **Explosion Limits** Vapor pressure @20 °C (kPa) Vapor density Density Solubility(ies) Partition coefficient Autoignition Temperature **Decomposing Temperature Kinematic viscosity**

9.2. Other information

No additional information available

10. STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity	The product is chemically stable.
10.2. Chemical stability	
Chemical Stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	
Possibility of Hazardous Reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to Avoid	Heat, flames and sparks.
10.5. Incompatible materials	
Incompatible Materials	Strong oxidizing agents
10.6. Hazardous decomposition products	
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapors.

Not available Liquid Not available No information available Not applicable Not applicable No information available 193 °C / 379 °F No information available 0.85 g/cm³ @15°C No information available No information available No information available No information available @ 40C = 28.37 cSt; @ 100C = 6.969 cSt

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

	Inhalation	May cause irritation of respiratory tract.
	Eye contact	May cause slight irritation.
	Skin Contact	May cause skin irritation and/or dermatitis.
	Ingestion	May be harmful if swallowed.
<u>11</u>	2 Information on toxicological ef	fects_
	Symptoms	No information available
<u>11</u>	3 Delayed and immediate effects	as well as chronic effects from short and long-term exposure
	Skin corrosion/irritation	Not classified.
	Serious eye damage/eye irritation	Not classified.
	Sensitization	Not classified.
	Mutagenic effects	Not classified.
	Reproductive Toxicity	Not classified
	STOT - single exposure	Not classified.
	STOT - repeated exposure	Not classified
	Aspiration hazard	Not classified.
<u>11</u>	4 Carcinogenicity	
	Carcinogenicity:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, OSHA or ACGIH.
	Legend:	NTP (National Toxicology Program), IARC (International Agency for Research on Cancer), OSHA (Occupational Safety and Health Administration of the US Department of Labor), ACGIH (American Conference of Governmental Industrial Hygienists)

11.5 Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Product Information (Estimated):

ATEmix (oral)	> 2,000 mg/kg
ATEmix (dermal)	> 5,000 mg/kg
ATEmix (inhalation-dust/mist)	> 5 mg/l

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Ecotoxicity effects

Harmful to aquatic life with long lasting effects. Plants and animals may experience harmful or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating

oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway may be sufficient to cause a fish kill or create an anaerobic environment.

12.2 Persistence and degradability	The hydrocarbons in this material are not readily biodegradable, but since they can be degraded by microorganisms, they are regarded as inherently biodegradable.
12.3. Bioaccumulative potential	No information available.
12.4 Mobility in Environmental Media	No information available.
12.5 Other adverse effects:	No information available.
PBT and vPvB assessment	No information available

13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

Waste Disposal Method	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, if the material is processed or otherwise altered. Consult 40 CFR 261 to determine wheth the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.	
Contaminated packaging	Dispose of in accordance with local regulations.	
14.TRANSPORT INFORMATION		
DOT	Not regulated	
IATA	Not regulated	
IMDG_	Not regulated	

15. REGULATORY INFORMATION

International Inventories

TSCA	All ingredients are on the inventory or exempt from listing				
DSL/NDSL	All ingredients are on the inventory or exempt from listing				
	There are ingredients listed on the NDSL Inventory List				
Chemical name	NDSL CAS-No weight-%				
Alkenyl dicarboxylamide	X EPA ACC. 147376 1-5				
1,3,4-Thiadiazole-2(3H)-thione, 5-(tertnonyldi	tnonyldithio)- X 97503-12-3 <0.1				
ENCS	All ingredients are on the inventory or exempt from listing				
IECSC	All ingredients are on the inventory or exempt from listing				
KECL	All ingredients are on the inventory or exempt from listing				
PICCS	All ingredients are on the inventory or exempt from listing				
AICS	All ingredients are on the inventory or exempt from listing				

USA

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous Categorization

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CERCLA/SARA 302 & 304

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical name	CAS-No	weight-%	RQ	TPQ
Methyl methacrylate	80-62-6	<0.1	RQ 1000lb final RQ RQ 454kg final RQ	
Lead	7439-92-1	<0.0001	RQ 10lb final RQ RQ 4.54kg final RQ	
Cadmium	7440-43-9	<0.0001	RQ 10lb final RQ RQ 4.54kg final RQ	
Benzene	71-43-2	<0.0001	RQ 10lb final RQ RQ 4.54kg final RQ	

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical name	CAS-No	weight-%	HAPS data
Methyl methacrylate	80-62-6	<0.1	Х
Benzene	71-43-2	<0.0001	Х

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CAS-No	weight-%	U.S CWA (Clean Water Act)
Methyl methacrylate	80-62-6	<0.1	Х
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts	113706-15-3	<0.01	X
Lead	7439-92-1	<0.0001	Х
Cadmium	7440-43-9	<0.0001	X
Benzene	71-43-2	<0.0001	Х

State Regulations

California Proposition 65

Label:



WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Chemical name	CAS-No	weight-%	California Prop. 65	Maximum Allowable Dose for Reproductive Toxicity (MADLS)	Safe Harbor Limits for Cancer-causing Chemicals (NSRLs)
Lead	7439-92-1	<0.0001	Carcinogen Developmental Female Reproductive Male Reproductive	0.5µg/day	15 μg/day oral
Cadmium	7440-43-9	<0.0001	Carcinogen Developmental Male Reproductive	4.1µg/dayoral	0.05 µg/day inhalation
Benzene	71-43-2	<0.0001	Carcinogen Developmental Male Reproductive	24µg/dayoral 49µg/dayinhalation	6.4 μg/day oral 13 μg/day inhalation

State Right-to-Know

Chemical name	CAS-No	weight-%	New Jersey
Amines, polyethylenepoly-, reaction products with succinic anhydride polybutenyl derivitives	68439-80-5	1-5	Х
Alkenyl dicarboxylamide	EPA ACC. 147376	1-5	Х

Chemical name	CAS-No	weight-%	Pennsylvania
Amines, polyethylenepoly-, reaction products with	68439-80-5	1-5	Х
succinic anhydride polybutenyl derivitives			
Alkenyl dicarboxylamide	EPA ACC. 147376	1-5	Х

16. OTHER INFORMATION

1 1 1 1 1 0 rescont	<u>NFPA</u>	Health hazards: 1	Flammability: 1	Instability: 0
Prepared By:	Aaron Ke	ck		
Revision Date:	23-Oct-2	020		
Revision Summary:	Temp SD	S		

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet